KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Urb 2.0 100mg D8/D9 Prickly Pear Watermelon

Sample ID: SA-240830-47615 Batch: 082924PPW

Type: Finished Product - Ingestible

Matrix: Edible - Gummy Unit Mass (g): 5.38828

Received: 08/30/2024 Completed: 09/05/2024 Client Urb 5511 95th Ave Kenosha, WI 53144 USA



Summary

Test Cannabinoids **Date Tested** 09/05/2024

Status Tested

0.216 % Total ∆9-THC

1.55 % Δ8-ΤΗС

1.97 % Total Cannabinoids

Not Tested Moisture Content

Foreign Matter

Not Tested

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD	LOQ	Result	Result
	(%)	(%)	(%)	(mg/unit)
CBC	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	ND	ND
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	ND	ND
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	0.0128	0.690
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ4,8-iso-THC	0.00067	0.002	0.163	8.77
Δ8-iso-THC	0.00067	0.002	0.00530	0.286
Δ8-ΤΗС	0.00104	0.00312	1.55	83.6
Δ8-ΤΗCV	0.00067	0.002	0.0116	0.625
Δ9-ΤΗС	0.00076	0.00227	0.216	11.7
Δ9-ΤΗCΑ	0.00084	0.00251	ND	ND
Δ9-ΤΗCV	0.00069	0.00206	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ9-ΤΗCVA	0.00062	0.00186	ND	ND
exo-THC	0.00067	0.002	0.00640	0.345
Total Δ9-THC			0.216	11.7
Total		1	1.97	106

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC4 * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 09/05/2024

Tested By: Nicholas Howard Scientist Date: 09/05/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.