


KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 7



Generated By: Ryan Bellone CCO Date: 02/22/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025/2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



2 of 7

LIQ-011525-BS

Sample ID: SA-250206-56694 Batch: LIQ-011525-BS Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Collected: 02/06/2025 Received: 02/10/2025 Completed: 02/22/2025 Client Urb 5511 95th Ave Kenosha, WI 53144 USA

Cannabinoids by HPLC-PDA and GC-MS/MS

carmasmoras by r				
Analyte	LOD	LOQ	Result	Result
	(%)	(%)	(%)	(mg/g)
СВС	0.0095	0.0284	ND	ND
СВСА	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	0.161	1.61
CBDA	0.0043	0.013	1.55	15.5
CBDB	0.0067	0.02	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.626	6.26
CBNA	0.006	0.0181	ND	ND
CBNP	0.0067	0.02	ND	ND
СВТ	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	3.72	37.2
Δ8-iso-THC	0.0067	0.02	1.25	12.5
∆8-THC	0.0104	0.0312	82.7	827
∆8-THCB	0.0067	0.02	0.102	1.02
∆8-THCP	0.0067	0.02	ND	ND
∆8-THCV	0.0067	0.02	0.442	4.42
∆9-THC	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
Δ9-THCB	0.0067	0.02	1.27	12.7
Δ9-THCP	0.0067	0.02	1.29	12.9
	0.0069	0.0206	ND	ND
Δ9-ΤΗϹΫΑ	0.0062	0.0186	ND	ND
exo-THC	0.0067	0.02	ND	ND
Total Δ9-THC			ND	ND
Total			93.1	931
	$- $ $\times + $ \times		55.1	551

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 02/22/2025

Tested By: Scott Caudill Laboratory Manager Date: 02/18/2025





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.



3 of 7

Sample ID: SA-250206 Batch: LIQ-011525-BS Type: Finished Produc Matrix: Concentrate - Unit Mass (g):	6-56694 ct - Inhalable	Collected: 02/06/2025 Received: 02/10/2025 Completed: 02/22/2025	Client Urb 5511 95th Ave Kenosha, WI 53144 USA	
Heavy Metals Analyte	by ICP-MS	LOQ (ppm)	Result (ppm)	
Arsenic	0.002	0.02	ND	
Cadmium	0.001	0.02	ND	
Lead	0.002	0.02	ND	
Mercury	0.012	0.05	ND	

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone CCO Date: 02/22/2025

Tested By: Chris Farman

ested By: Chris Farmar Scientist Date: 02/18/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



4 of 7

LIQ-011525-BS

Sample ID: SA-250206-56694 Batch: LIQ-011525-BS Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Collected: 02/06/2025 Received: 02/10/2025 Completed: 02/22/2025 Client Urb 5511 95th Ave Kenosha, WI 53144 USA

Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD	LOQ	Result	Analyte	LOD	LOQ	Result
	(ppb)	(ppb)	(ppb)		(ppb) 30	(ppb)	(ppb)
Abamectin	30	100	ND	Hexythiazox		100	ND
Acephate	30	100	ND	Imazalil	30	100	ND
Acetamiprid	30	100	ND	Imidacloprid	30	100	ND
Aldicarb	30	100	ND	Kresoxim methyl	30	100	ND
Azoxystrobin	30	100	ND	Malathion	30	100	ND
Bifenazate	30	100	ND	Metalaxyl	30	100	ND
Boscalid	30	100	ND	Methiocarb	30	100	ND
Captan	30	100	ND	Methomyl	30	100	ND
Carbaryl	30	100	ND	Mevinphos	30	100	ND
Carbofuran	30	100	ND	Myclobutanil	30	100	ND
Chloranthraniliprole	30	100	ND	Naled	30	100	ND
Chlordane	30	100	ND	Oxamyl	30	100	ND
Chlorfenapyr	30	100	ND	Paclobutrazol	30	100	ND
Clofentezine	30	100	ND	Parathion methyl	30	100	ND
Coumaphos	30	100	ND	Pentachloronitrobenzene	30	100	ND
Cyfluthrin	30	100	ND	Permethrin	30	100	ND
Daminozide	30	100	ND	Phosmet	30	100	ND
Diazinon	30	100	ND	Piperonyl Butoxide	30	100	ND
Dichlorvos	30	100	ND	Propiconazole	30	100	ND
Dimethoate	30	100	ND	Propoxur	30	100	ND
Dimethomorph	30	100	ND	Pyrethrins	30	100	ND
Ethoprophos	30	100	ND	Pyridaben	30	100	ND
Etofenprox	30	100	ND	Spinetoram	30	100	ND
Etoxazole	30	100	ND	Spinosad	30	100	ND
Fenhexamid	30	100	ND	Spiromesifen	30	100	ND
Fenoxycarb	30	100	ND	Spirotetramat	30	100	ND
Fenpyroximate	30	100	ND	Spiroxamine	30	100	ND
Fipronil	30 <	100	ND	Tebuconazole	30	100	ND
Flonicamid	30	100	ND	Thiacloprid	30	100	ND
Fludioxonil	30	100	ND	Thiamethoxam	30	100	ND
				Trifloxystrobin	30	100	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone CCO Date: 02/22/2025


Tested By: Anthony Mattingly Scientist



Date: 02/22/2025 Date: 02/22/2025
This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



5 of 7



ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

RA

Generated By: Ryan Bellone CCO Date: 02/22/2025

Tested By: Anthony Mattingly Scientist



Date: 02/22/2025 Date: 02/22/2025
This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



6 of 7

LIQ-011525-BS					
Sample ID: SA-250206-56694 Batch: LIQ-011525-BS Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):	Received	d: 02/06/2025 d: 02/10/2025 ed: 02/22/2025	Client Urb 5511 95th Ave Kenosha, WI 53144 USA		
Microbials by PCR and Pla	ting				
Microbials by PCR and Pla	ting LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)		
		Result (CFU/g)	Result (Qualitative)		
Analyte	LOD (CFU/g)		Result (Qualitative)		
Analyte Total aerobic count	LOD (CFU/g) 10	ND	Result (Qualitative)		
Analyte Total aerobic count Total coliforms	LOD (CFU/g) 10 10	ND ND	Result (Qualitative) Not Detected per 1 gram		
Analyte Total aerobic count Total coliforms Generic E. coli	LOD (CFU/g) 10 10	ND ND			

Generated By: Ryan Bellone CCO Date: 02/22/2025

Natalia Wright

Tested By: Natalia Wright Laboratory Technician Date: 02/12/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



7 of 7

LIQ-011525-BS

Sample ID: SA-250206-56694 Batch: LIQ-011525-BS Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Collected: 02/06/2025 Received: 02/10/2025 Completed: 02/22/2025 Client Urb 5511 95th Ave Kenosha, WI 53144 USA


Residual Solvents by HS-GC-MS

	, ,						
Analyte	LOD	LOQ	Result	Analyte	LOD	LOQ	Result
	(ppm)	(ppm)	(ppm)		(ppm)	(ppm)	(ppm)
Acetone	167	500	ND	Ethylene Oxide	0.5	1	ND
Acetonitrile	14	41	ND	Heptane	167	500	ND
Benzene	0.5	1	ND	n-Hexane	10	29	ND
Butane	167	500	ND	Isobutane	167	500	ND
1-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanol	167	500	ND	Isopropyl Alcohol	167	500	ND
2-Butanone	167	500	ND	Isopropylbenzene	167	500	ND
Chloroform	2	6	ND	Methanol	100	300	ND
Cyclohexane	129	388	ND	2-Methylbutane	10	29	ND
1,2-Dichloroethane	0.5	1	ND	Methylene Chloride	20	60	ND
1,2-Dimethoxyethane	4	10	ND	2-Methylpentane		29	ND
Dimethyl Sulfoxide	167	500	ND	3-Methylpentane	10	29	ND
N,N-Dimethylacetamide	37	109	ND	n-Pentane	167	500	ND
2,2-Dimethylbutane	10	29	ND	1-Pentanol	167	500	ND
2,3-Dimethylbutane	10	29	ND	n-Propane	167	500	ND
N,N-Dimethylformamide	30	88	ND	1-Propanol	167	500	ND
2,2-Dimethylpropane	167	500	ND	Pyridine	7	20	ND
1,4-Dioxane	13	38	ND	Tetrahydrofuran	24	72	ND
Ethanol	167	500	ND	Toluene	30	89	ND
2-Ethoxyethanol	6	16	ND	Trichloroethylene	3	8	ND
Ethyl Acetate	167	500	ND	Xylenes (o-, m-, and p-)	73	217	ND
Ethyl Ether	167	500	ND				
Ethylbenzene	3	7	ND				

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone CCO Date: 02/22/2025

Tested By: Kelsey Rogers Scientist





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.