

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 7


#### SDM-011425-J Client Sample ID: SA-250214-57252 Collected: 02/14/2025 Urb Batch: SDM-011425-J Received: 02/18/2025 5511 95th Ave Type: Finished Product - Inhalable Completed: 02/27/2025 Matrix: Concentrate - Distillate Kenosha, WI 53144 Unit Mass (g): USA Summary Status Test **Date Tested** 02/24/2025 Cannabinoids Tested 02/20/2025 Heavy Metals Tested Microbials 02/21/2025 Tested Mycotoxins 02/27/2025 Tested 02/27/2025 Pesticides Tested **Residual Solvents** 02/20/2025 Tested 89.2 % Not Tested Not Tested ND 79.5 % Yes Total Cannabinoids Total ∆9-THC **∆8-THC Moisture Content** Foreign Matter Internal Standard Normalization Cannabinoids by HPLC-PDA and GC-MS/MS LOD LOO Result Result Analyte (%) (%) (%) (mg/g)CBC 0.0095 0.0284 ND ND CBCA 0.0181 0.0543 ND ND CBCV 0.006 0.018 ND ND CBD 0.0081 0.0242 0.537 5.37 CBDA 0.0043 0.013 14.8 1.48 CBDH 0.0067 0.02 ND ND CBDV 0.0182 0.0061 ND ND CBDVA 0.0021 0.0063 ND ND CBG 0.0057 0.0172 ND ND CBGA 0.0049 0.0147 ND ND CBL 0.0112 0.0335 ND ND CBLA 0.0124 0.0371 ND ND CBN 0.0056 0.0169 1.35 13.5 0 0181 ND CBNA 0.006 ND 0.018 CBT ND ND ∆4,8-iso-THC 0.0067 2.48 24.8 ∆8-iso-THC 0.0067 0.02 1.77 17.7 79.5 ∆8-THC 0.0104 0.0312 795 ∆8-THCH 0.0067 0.02 ND ND ∆8-THCV 0.0067 0.02 0.344 3.44 A9-THC 0 0227 ND ND 0.0076 Δ9-THCA 0.0251 ND 0.0084 ND ∆9-THCH 0.0067 0.02 1.73 17.3 ∆9-THCV 0.0069 0.0206 ND ND 0.0186 ∆9-THCVA 0.0062 ND ND exo-THC 0.0067 0.02 ND ND Total ∆9-THC ND ND Total 89.2 892 ND = Not Detected: NT = Npt Tgsted; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA DA \* 0.877 + CBD; Hac-MR/ und Tested By: Scott Caudill Generated By: Ryan Bellone CCO ISO/IEC 17025:2017 Accredited Laboratory Manager Accreditation #108651 Date: 02/27/2025 Date: 02/24/2025

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

2 of 7



Generated By: Ryan Bellone CCO Date: 02/27/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

3 of 7

SDM-011425-J								
Sample ID: SA-250214-57252 Batch: SDM-011425-J Type: Finished Product - Inhalak Matrix: Concentrate - Distillate Unit Mass (g):	le	Collected: 02/14/2025 Received: 02/18/2025 Completed: 02/27/2025	Client Urb 5511 95th Ave Kenosha, WI 53144 USA					
Heavy Metals by ICP-MS								
Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)					
Arsenic	0.002	0.02	ND					
Cadmium	0.001	0.02	ND					
Lead	0.002	0.02	ND					
Mercury	0.012	0.05	ND					

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone ссо Date: 02/27/2025

Tested By: Chris Farman

Scientist Date: 02/20/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories are provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

4 of 7

## SDM-011425-J

Sample ID: SA-250214-57252 Batch: SDM-011425-J Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Collected: 02/14/2025 Received: 02/18/2025 Completed: 02/27/2025 Client Urb 5511 95th Ave Kenosha, WI 53144 USA

# Pesticides by LC-MS/MS and GC-MS/MS

-							
Analyte	LOD	LOQ	Result	Analyte	LOD (ppb)	LOQ	Result
Abamectin	( <b>ppb</b> ) 30	(ppb) 100	(ppb) ND	Hexythiazox	(ppb) 30	( <b>ppb)</b> 100	(ppb) ND
Acephate	30	100	ND	Imazalil	30	100	ND
Acetamiprid	30	100	ND	Imidacloprid	30	100	ND
Aldicarb	30	100	ND	Kresoxim methyl	30	100	ND
Azoxystrobin	30	100	ND	Malathion	30	100	ND
Bifenazate	30	100	ND	Metalaxyl	30	100	<loq< td=""></loq<>
Bifenthrin	30	100	ND	Methiocarb	30	100	ND
Boscalid	30	100	ND	Methomyl	30	100	ND
Carbaryl	30	100	ND	Mevinphos	30	100	ND
Carbofuran	30	100	ND	Myclobutanil	30	100	ND
Chloranthraniliprole	30	100	ND	Naled	30	100	ND
Chlorfenapyr	30	100	ND	Oxamvl	30	100	ND
Clofentezine	30	100	ND	Paclobutrazol	30	100	ND
Coumaphos	30	100	ND	Permethrin	30	100	ND
Cypermethrin	30	100	ND	Phosmet	30	100	ND
Daminozide	30	100	ND	Piperonyl Butoxide	30	100	ND
Diazinon	30	100	ND	Propiconazole	30	100	ND
Dichlorvos	30	100	ND	Propoxur	30	100	ND
Dimethoate	30	100	ND	Pyrethrins	30	100	ND
Dimethomorph	30	100	ND	Pyridaben	30	100	ND
Ethoprophos	30	100	ND	Spinetoram	30	100	ND
Etofenprox	30	100	ND	Spinosad	30	100	ND
Etoxazole	30 <	100	ND	Spiromesifen	30	100	ND
Fenhexamid	30	100	ND	Spirotetramat	30	100	ND
Fenoxycarb	30	100	ND	Spiroxamine	30	100	ND
Fenpyroximate	30	100	ND	Tebuconazole	30	100	ND
Fipronil	30	100	ND	Thiacloprid	30	100	ND
Flonicamid	30 <	100	ND	Thiamethoxam	30	100	ND
Fludioxonil	30	100	ND	Trifloxystrobin	30	100	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone CCO Date: 02/27/2025

Tested By: Anthony Mattingly Scientist Date: 02/27/2025




This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

5 of 7



ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone CCO Date: 02/27/2025

Tested By: Anthony Mattingly Scientist



Date: 02/27/2025 Date: 02/27/2025
This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



1

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

Not Detected per 1 gram

### SDM-011425-J Client Sample ID: SA-250214-57252 Collected: 02/14/2025 Urb Batch: SDM-011425-J Received: 02/18/2025 Type: Finished Product - Inhalable 5511 95th Ave Completed: 02/27/2025 Matrix: Concentrate - Distillate Kenosha, WI 53144 Unit Mass (g): USA Microbials by PCR and Plating Analyte LOD (CFU/g) Result (CFU/g) **Result (Qualitative)** Total aerobic count ND Total coliforms 10 ND 10 Generic E. coli ND Not Detected per 1 gram Salmonella spp.

Shiga-toxin producing E. coli (STEC)

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone CCO Date: 02/27/2025

Natalia Wright

Tested By: Natalia Wright Laboratory Technician Date: 02/21/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

7 of 7

## SDM-011425-J

Sample ID: SA-250214-57252 Batch: SDM-011425-J Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Collected: 02/14/2025 Received: 02/18/2025 Completed: 02/27/2025 Client Urb 5511 95th Ave Kenosha, WI 53144 USA

# **Residual Solvents by HS-GC-MS**

	5						
Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetone	167	500	ND	Ethylene Oxide	0.5	1	ND
Acetonitrile	14	41	ND	Heptane	167	500	ND
Benzene	0.5	1	ND	n-Hexane	10	29	ND
Butane	167	500	ND	Isobutane	167	500	ND
1-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanol	167	500	ND	Isopropyl Alcohol	167	500	ND
2-Butanone	167	500	ND	Isopropylbenzene	167	500	ND
Chloroform	2	6	ND	Methanol	100	300	ND
Cyclohexane	129	388	ND	2-Methylbutane	10	29	ND
1,2-Dichloroethane	0.5	1	ND	Methylene Chloride	20	60	ND
1,2-Dimethoxyethane	4	10	ND	2-Methylpentane	10	29	ND
Dimethyl Sulfoxide	167	500	ND	3-Methylpentane	10	29	ND
N,N-Dimethylacetamide	37	109	ND	n-Pentane	167	500	ND
2,2-Dimethylbutane	10	29	ND	1-Pentanol	167	500	ND
2,3-Dimethylbutane	10	29	ND	n-Propane	167	500	ND
N,N-Dimethylformamide	30	88	ND	1-Propanol	167	500	ND
2,2-Dimethylpropane	167	500	ND	Pyridine	7	20	ND
1,4-Dioxane	13	38	ND	Tetrahydrofuran	24	72	ND
Ethanol	167	500	ND	Toluene	30	89	ND
2-Ethoxyethanol	6	16	ND	Trichloroethylene	3	8	ND
Ethyl Acetate	167	500	ND	Xylenes (o-, m-, and p-)	73	217	ND
Ethyl Ether	167	500	ND				
Ethylbenzene	3	7	ND				

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone CCO Date: 02/27/2025

Tested By: Kelsey Rogers

Scientist Date: 02/20/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.