+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## **Urb: Delta-9 THCO Disposable**

Sample ID: SA-221212-14870 Batch: 1101220TB // 1101220FG // 1101220MK // 1101220LWP // 1101220BW // 1101220SJ

Type: In-Process Materials Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 12/13/2022 Completed: 12/22/2022 Client Lifted Made 5511 95th Ave Kenosha, WI 53144 USA



Summary

Test Cannabinoids **Date Tested** 12/22/2022

Status Tested

0.162 % Total ∆9-THC

82.7 % Δ8-ΤΗС

93.2 % **Total Cannabinoids** 

**Not Tested** Moisture Content

**Not Tested** Foreign Matter

Internal Standard Normalization

Yes

## Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

| Analyte        | LOD<br>(%) | LOQ<br>(%) | Result<br>(%) | Result<br>(mg/g) |
|----------------|------------|------------|---------------|------------------|
| CBC            | 0.0095     | 0.0284     | ND            | ND               |
| CBCA           | 0.0181     | 0.0543     | ND            | ND               |
| CBCV           | 0.006      | 0.018      | ND            | ND               |
| CBD            | 0.0081     | 0.0242     | ND            | ND               |
| CBDA           | 0.0043     | 0.013      | ND            | ND               |
| CBDV           | 0.0061     | 0.0182     | ND            | ND               |
| CBDVA          | 0.0021     | 0.0063     | ND            | ND               |
| CBG            | 0.0057     | 0.0172     | ND            | ND               |
| CBGA           | 0.0049     | 0.0147     | ND            | ND               |
| CBL            | 0.0112     | 0.0335     | ND            | ND               |
| CBLA           | 0.0124     | 0.0371     | ND            | ND               |
| CBN            | 0.0056     | 0.0169     | 0.156         | 1.56             |
| CBN acetate    | 0.0067     | 0.02       | ND            | ND               |
| CBNA           | 0.006      | 0.0181     | ND            | ND               |
| CBT            | 0.018      | 0.054      | ND            | ND               |
| Δ8-ΤΗС         | 0.0104     | 0.0312     | 82.7          | 827              |
| Δ8-THC acetate | 0.0067     | 0.02       | 0.233         | 2.33             |
| Δ8-ΤΗCV        | 0.0067     | 0.02       | 0.290         | 2.90             |
| Δ9-ΤΗС         | 0.0076     | 0.0227     | 0.162         | 1.62             |
| Δ9-THC acetate | 0.0067     | 0.02       | 9.71          | 97.1             |
| Δ9-ΤΗCΑ        | 0.0084     | 0.0251     | ND            | ND               |
| Δ9-ΤΗCV        | 0.0069     | 0.0206     | ND            | ND               |
| Δ9-THCVA       | 0.0062     | 0.0186     | ND            | ND               |
| Total Δ9-THC   |            |            | 0.163         | 1.62             |
| Total CBD      |            |            | ND            | ND               |
| Total          |            |            | 93.2          | 932              |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THC +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 12/22/2022

Tested By: Scott Caudill Senior Scientist Date: 12/22/2022





ISO/IEC 17025:2017 Accredited Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance Lested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories CCA Laboratories are provide measurement uncertainty upon request.