KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

kca

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Status

Tested

Yes

Internal Standard Normalization

Result

(mg/g)

ND

ND

ND

2.34

ND

841


129

ND

2.34

973

1 of 1





ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

lower

Generated By: Alex Morris Quality Assurance Manager Date: 11/16/2022

Testéd By: Jared Burkhart Technical Manager Date: 11/16/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.